Ultra-Oil

Powerful penetrating oil, lubricant, cleaner for tar & grease, contact spray, moisture repellent for cycles, automotive, mechanics, industry

Ultra-Di

Ultra-Oil is a high-quality universal powerful penetrating oil, lubricant, cleaner, contact spray with a 7 stages functions for bikes and mechanics, but can be used for cars, industry, workshop, building and at home as well.

Ultra-Oil can be used as a lubricant for chains, gears, rings, cogs, derailleurs, bearings, locks, hinges... **Ultra-Oil** unblocks all mechanisms, rusted nuts and bolts, seized parts in a few seconds and stops squeakings.

Ultra-Oil allows to protect all contacts, engines or electric machines, batteries, electronic parts against water, moisture and salt. **Ultra-Oil** is an efficient cleaner for tar, grease and dirts on bike frames, wheels, car bodies, dissolving and preventing from rust. **Ultra-Oil** is the miracle product for mechanics.

Aerosol 500 ml.

Main applications for Ultra-Oil :

- Remove all seized bolts and nuts, screws, valves, antennas and all blocked moving parts
- Unblock and loosen all brakes, callipers, taps and valves by cold shrinkage effect
- Cleaning and lubrication of automotive, bike and motorbike parts : chains, derailleurs, gearwheeels, brakes, injectors, chainsaws, lawnmovers, brushcutters, pneumatic tools, etc.
- Remove all stains of oil, grease, tar, dirts from car bodies, frames, wheels, metal surfaces, painted or lacquered surfaces, plastics, machines, pneumatic tools, etc.
- Lubrication of on chains, gears, rings, cogs, derailleurs, bearings, all squeaky mechanisms, machines
- Remove all braking traces and dusts on wheels

- Stops creakings to chains, belts, threads, hinges, and locks
- Lubrication of cordless screwdrivers and electric drill grinders, sanders, bearings for a smooth slipping
- Keep handles and cranks of machines in efficient working order
- Protects against rust and salt in winter for car bodies, wheels, metal chromed in winter with a thin protecting layer
- Protects hooks, skates, tent pegs, ski equipments against rust
- Protects locks aigaist frost and ice
- Removes residues of firearms, guns, rifles for hunting and sport shooting
- Cleaning and protection of fishing rods against moisture and dirts
- Remove corrosion and oxidation of iron, steel, aluminium, copper, zinc and other metals.
- Protects and avoid short-circuits on electric and electronic contacts
- Remove humidity and moisture from electronic contacts, machines, engines garden lightings
- Long lasting protection against moisture on electric tools
- Doesn't stain clothes and can be used on blocked zippers because of salt or detergents
- Give a shine to metals and chromes
- The length of the protection is subjet to variation depending on weather conditions et can be extende with a regular application of Ultra-Oil.

Technical information of Ultra-Oil :

- Packaging : aerosol 500 ml
- Colour : transparent
- Consistency : liquid
- Viscosity mPas (20°C) : <10 dynamic, Brookfield
- Odour : characteristic
- Flash point : 62°C DIN 51755
- Auto-ignition temperature : unknown DIN 51794
- Explosive limits vol. % vol. lower : unknown DIN 51649
- Explosive limits vol. % upper : unknown DIN 51649
- Density (20°C) : approximately 0.838 g/cm3 DIN 51757
- pH (20°C) : not measurable. DIN 19261
- pH 1 % water-based solution (20°C) : not measurable
- Solubility in water : 20 mg/l
- Moisture and water repellent, waterproof
- Storage : in a cool dry place
- Shelf life : 24 months
- Always read the safety data sheet (SDS) before use

Instructions of use of Ultra-Oil :

- Shake thoroughly the aerosol before use
- Spray from a distance of 15-20 cm
- Allow the product to act for a few minutes
- Remove all seized parts and clean all rust
- As a short-circuit protection for electric parts
- Use it for a finish line to surfaces of bikes, motorbikes, automotive...
- Don't use it directly on brakes or pads
- All surfaces could be cleaned with Ultra-Cleaner
- For a better protection, repeat the treatment of the surface regularly
- Keep away from children

Packaging :

Article Nr	Product	Packaging	Content	Unit	Packing
784182	Ultra-Oil	aerosol	500	ml	12

Related products of Ultra-Oil :

- **Ultra-Cleaner** Ultra-power cleaner and degreaser for automotive, bikes, motorbikes, industry and building
- **Bio-Clean** Biodegradable cleaner for automotive, bicycles, motorbikes, mechanics, building and industry
- Power Foam Powerful ready to use foam cleaner, all surfaces
- **Ultra-Chain** High performance lubricant for chains and moving parts, antiwear and corrosion
- **Ultra PTFE** High performance PTFE lubricant, multipurpose, extreme conditions
- **Ultra-Grease** Sprayable PTFE universal grease for bearings, mechanisms, moving parts, high humidity, very low friction
- **Bio-Wipes** Recycled and eco-friendly cleaning wipes for grease, lubricants, dirts, painting, sealants all surfaces

Safety instructions and conditions of use of products - Liability

All given information of product sheets are established under our current knowledge and are indicated as approximate datas and should not be considered as exhaustive. Products are subject to modification without any prior information which could lead to variations of applications and performances. Always use the latest updated technical sheet. We are not responsible for any damage or loss due to information or errors in that document which are in any way not a guarantee.

Considering the large quantity of materials and supports, application methods different for each use, storage and transportation conditions which are totally out of our control, we are not liable for any damage or loss, directly or indirectly caused by the use of our products.

We strongly recommend the user to make prior testings to make sure the product is suitable for the intended application or use.

Always wearing individual safety protection equipments when using our products like gloves, long sleeves, full covering clothes, glasses, masks, etc.

The user is also informed to read the latest Safety Sheet before using our products concerning all safety instructions which are on the packaging of the product.

Always keep out of the reach of children and store products in a locked storage area.

Avoid any chemical contact during pregnancy or while nursing for the safety and the health of the baby to avoid foetal malformations.

If swallowed, immediately call a doctor or the hospital or the closest poison with the packaging of the product and/or the Safety Sheet of the product.

In case of allergy, inhalation or contact of the eyes with the product, rinse cautiously with water for several minutes or remove personn to fresh air and keep comfortable for breathing and in case of emmergency, contact a doctor or the hospital or the closest poison with the packaging of the product and/or the Safety Sheet of the product. Do not breath spray. Use only outdoor or in a well ventilated area.

Avoid any release to the environment. Eliminate the content and the container in the specific collection of your city in accordance with local/regional/national regulations. Harmful to aquatic life with long lasting effects.

No smoking. Keep container tightly closed. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source to avoid any burn or fire. Protect from sunlight. Store in a cool and well-ventilated place.

Safety Data Sheet on request

Iseole Sarl 23, rue du Vignoble – 68610 Lautenbach - France Tel : +33 6 38 03 05 68 Web : https://ookanik.com Mail : <u>iseole@orange.fr</u> RCS Colmar Sarl - capital 7500 euros N° Siret : 790 173 405 00024 APE :4619B VAT intracommun. FR 83 790173405 © Iseole Sarl All rights reserved. Any copy or reproduction of any part of this document is stricly forbidden without the written authorization of Iseole Sarl company